

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	287	717/154.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 14:28
L2	251	717/158.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 14:28
L3	82	717/145.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 14:28
S1	0	intermediate adj1 (representation code) and compil\$ with continuous with profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 10:06
S2	0	(intermediate adj1 (representation code) ir) and compil\$ with continuous with profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 10:54
S3	3	compil\$ with continuous with profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 10:55
S4	5	compil\$ with continuous same profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 10:55
S5	280	compil\$ with continuous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 10:55
S6	37	compil\$ with continuous and profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 10:56
S7	10	continuous adj1 compil\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 10:57

S8	35	recompil\$6 with profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 16:54
S9	76	(recompil\$6 re-compil\$6) same profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 08:01
S10	221	(recompil\$6 re-compil\$6) and profile and (threshold threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 08:02
S11	128	(recompil\$6 re-compil\$6) and compiler and profile and (threshold threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 08:02
S12	80	(recompil\$6 re-compil\$6) and compiler with optim\$ and profile and (threshold threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 08:12
S13	47	(recompil\$6 re-compil\$6) with repeat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 08:16
S14	2	(recompil\$6 re-compil\$6) with repeat\$ with until	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 08:13
S15	183	compil\$6 with repeat\$ with (threshold until)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 08:25
S16	200	compil\$6 and profile\$2 with feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 08:25
S17	53	compil\$6 with profile\$2 with feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 08:32

S18	1188	continus\$ with compil\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 08:33
S19	0	"safe computer code formats"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 14:10
S20	382	franz-m\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 14:10
S21	42	franz-michael\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 14:55
S22	47	dynamic\$4 with optim\$ with profile same compil\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/15 14:56
S24	0	profile with data with process\$3 with idle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 10:06
S25	21	profile with process\$3 with idle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 10:11
S26	18	profile with data with idle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 10:12
S27	461	profile with idle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 10:12
S28	567	profil\$3 with idle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 10:12

S29	1	profil\$3 with idle with gather\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 10:13
S30	5	profil\$3 with idle with collect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 10:13
S31	21	717/158.ccls. and idle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 10:15
S32	37	profil\$3 with (during while) near4 idle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 14:28